




Examples of IMPULS-Test|2®- Results

The short 10 minute online survey for five dimensions (scales) of working conditions, determination of the priority of each of the dimensions and the free comments for single items allows a variety of significant and calibrated evaluations. Some examples are shown below.



Legend

- + Uncritical results (PR = Percentil rank 0 to 25%)
- ± Average results (PR = Percentil rank 25 to 75%)
- Critical results (PR = Percentil rank 75 to 100%)
- Mean value of survey group in PR
- Mean value of reference group in PR

The IMPULS-Test|2®-Star

The black bars display the results of a subgroup (e.g. department). The scales “tasks and processes” and “social environment” reveal critical working conditions. The results are shown as percentile ranks (PR). A PR of 79 indicates that only 21 % of the reference group in the workforce stated more critical conditions, whereas 79 % stated less critical ones. The white bars display the results of the entire organisation for means of comparison.

Group comparison

Different departments are compared in this section. The table displays **objectified psychosocial risk levels** (green, orange, red) as percentile ranks (PR) for scales, subscales and **subjective priorities of improvement** per scale (blue). One can see that several groups show critical

red values in the scale “perspectives and participation”. In “department A”, however, there are some green values, whereas some departments show an accumulation of critical red values.

| IMPULS-Test 2® Professional | | Skala A | | | | Skala B | | | | Skala C | | | | Skala D | | | | Skala E | | | | |
|-----------------------------|-----|--------------------------|-----------|----------------|-----------------|--------------------------|----------------------------|---------------------------|--------------------------|--------------------------|----------|--------------|-------------|--------------------------|--------------|-------------|--------------------------|------------------------------|-------------|----|----|----|
| Musterfirma | | Umgebungsbedingungen | | | | Aufgaben und Abläufe | | | | Arbeitsanforderungen | | | | Soziales Umfeld | | | | Perspektiven und Beteiligung | | | | |
| Organisationseinheiten | | Verbesserungsbedarf in % | | | | Verbesserungsbedarf in % | | | | Verbesserungsbedarf in % | | | | Verbesserungsbedarf in % | | | | Verbesserungsbedarf in % | | | | |
| Anzahl Befragte | | Expositionen | Ergonomie | Vielseitigkeit | Vollständigkeit | Gestaltungsspielraum | Quantitative Anforderungen | Qualitative Anforderungen | Verbesserungsbedarf in % | Kommunikation | Rückhalt | Perspektiven | Beteiligung | Verbesserungsbedarf in % | Perspektiven | Beteiligung | Verbesserungsbedarf in % | Perspektiven | Beteiligung | | | |
| Gesamt | 215 | 68 | 79 | 75 | 60 | 56 | 71 | 50 | 50 | 69 | 63 | 78 | 68 | 61 | 50 | 74 | 61 | 47 | 67 | 79 | 65 | 71 |
| Bereich 1 | 83 | 62 | 83 | 69 | 54 | 68 | 76 | 70 | 45 | 77 | 69 | 82 | 76 | 67 | 65 | 81 | 70 | 62 | 84 | 87 | 86 | 80 |
| Abteilung A | 8 | 23 | 42 | 25 | 20 | 67 | 56 | 70 | 41 | 78 | 59 | 71 | 65 | 59 | 84 | 85 | 86 | 83 | 81 | 70 | 81 | 76 |
| Abteilung B | 12 | 62 | 75 | 63 | 64 | 76 | 67 | 65 | 59 | 86 | 73 | 81 | 72 | 77 | 66 | 72 | 75 | 61 | 87 | 90 | 87 | 85 |
| Abteilung C | 37 | 62 | 88 | 71 | 51 | 69 | 84 | 76 | 35 | 77 | 66 | 85 | 77 | 61 | 59 | 88 | 63 | 58 | 84 | 94 | 91 | 75 |
| Abteilung D | 14 | 76 | 89 | 83 | 65 | 61 | 73 | 66 | 49 | 69 | 77 | 80 | 80 | 76 | 72 | 77 | 70 | 69 | 89 | 85 | 83 | 91 |

Comments

Lärm (198 Kommentar/e): Großraumbüro!!!!!!! // kleinere Büroeinheiten // Druckeraufstellung hinter meinem Rücken (nicht wirklich problematisch) // Kleinere Büros, Belastung durch viele Kollegen in Umgebung // Großraumbüro - Telefon, Gespräche, "Arbeiten" bedingt ein gewissen Lärmpegel // Gespräche unter den Kollegen in leiser Lautstärke, private Handys lautlos // Lärmbelastung im Großraum durch telefonierende Kollegen // Keine Großraumbüros // Gang direkt daneben, ständig gehen Leute vorbei, WC-Türen genau hinter mir // Die Klimaanlage ist laut und verursacht ein permanenten Geräuschpegel. // aufgrund des Großraumbüros ist der Lärmpegel durch Telefonate sehr hoch // Verbesserung: weniger Lärm durch Schalldämmung bzw. schallschluckende Möbel/Einrichtung // Durch Großraumbüro – Änderung Kojengestaltung, brummende Klimageräte an den Fenstern, Tastaturreklimer aus allen Richtungen // weniger Großraumbüros // ist es uU

Comments

These details (psychosocial stressors, ideas for improvement) are helpful in analysing causes and develop actions to be taken.



With the **IMPULS-Test|2[®]** you can identify scientifically calibrated characteristics of psychosocial stressors in your departments or task groups for every topic (environmental conditions, tasks and processes, work demands, social environment, perspectives and participations). With this you can focus on detailed analysis and inducing a selective measure.

| What qualities does the IMPULS-Test 2 [®] offer? | |
|--|---|
| Widespread | Well-known as IMPULS-Test since 2002 in the countries Austria (AT), Germany (DE) and Switzerland (CH) |
| Trademark | Protected by trademark law as IMPULS-Test 2[®] since 2014 |
| Scientific quality assurance | 2012 scientific update on a high standard (e.g. requirements of the EN ISO 10075-3 regarding objectivity, reliability, validity) |
| Quantitative and qualitative data | 25 items for psychological stress factors, 5 items for priorities of improvement, possibility to add individual comments |
| Efficiency | 5-10 minutes completion time |
| Multilingualism | Survey in German, English, Serbian/Croatian/Bosnian |
| Online survey | PC, tablet, smartphone - internet, intranet combined with internet - objective, flexible, anonymous |
| Quality-assured online evaluation | Accurate evaluation: Critical, average and uncritical results including interpretation and suggestions for further actions |
| Any desired group evaluations | Departments, task groups and demographic groups or cross evaluations |
| free individual results | Optional: Each individual completing the survey can download their own results after evaluation. |
| Norm table and benchmarks | Total norm, several industry norms, demographic norms, internal benchmarks and comparison over time |
| Over 180 client projects | Various industries and tasks in Austria and Germany |
| Professional publications excerpt | Manual risk assessment of psychological stress of BAuA; PSYNDEX (biggest german psychological test collection): https://www.zpid.de/retrieval/PSYNDEXtests.php?id=9006911 |
| Data security | TÜV-Rheinland certificated server in Germany, SSL-encryption of the data, protection of anonymity, objective external security audit 2014 |
| Contract security with humanware GmbH and all licenced partners | humanware GmbH since 1992, industrial psychology and IT-trade licence, legal IT-contract; highly professional german server management by Mittwald CM Service GmbH & Co. KG |

Need further information?

Web: www.impulstest2.info Tel.: 0043 (0) 1 526 02 88 Email: humanware@humanware.at